

Venetian Holiday

Venetian Holiday collection by
Hoffman Fabrics

Quilt size: 30" x 60"

Block size: 15"

Designed by Toby Lischko on EQ6

Fabric Requirements: Yardage based on 40" width

Fat quarters of the following fabrics:

E816-22P, E884-33P, E883-16S, E885-33P,

E885-16P

1/3 yard **E882-19P**

1/2 yard **E889-19P E883-19S**

1 1/2 yards **E881-19P**

PLEASE READ ALL INSTRUCTIONS BEFORE BEGINNING

Piecing and cutting tips:

1. An accurate 1/4" seam is essential to the piecing of this quilt.
2. HST refers to Half-Square Triangle, a square cut once diagonally.
3. HRT refers to Half-Rectangle Triangle, a rectangle cut once diagonally. When you cut rectangles into triangles, you have a "left" side and "right" side if you cut pairs with fabric wrong sides together. When cutting with Template C, place fabric wrong sides together and cut with template right side up to create the left and right side.

4. FGU refers to Flying Geese Units

Cutting Instructions: (WOF = width of fabric)

E816-22P: Cut (12) 2" x 2"

Cut (12) left units and (12) right units with template C (see tip #3)

Cut (6) 2 1/2" x 2 1/2" squares

E884-33P: Cut (4) 1 1/2" strips by WOF for border 1

E883-16S: Cut (24) 2" x 2" squares

E885-33P: Cut (12) left units and (12) right units with template C (see tip #3)

Cut (24) 2" x 2" squares

Cut (12) 3 1/2" x 2" rectangles;

E885-16P: Cut (12) 3 1/2" x 2" rectangles

Cut (12) with template A

E889-19P: Cut (12) with template B

E882-19P: Cut (4) 2" by WOF for border 2

E883-19S: Cut (24) left units and (24) right units with template C (see tip #3)

Cut (6) 2 3/8" x 2 3/8" squares

Cut (24) 2" x 2" squares


Cutting Instructions cont*:

E881-19P: Cut (2) 6" x 30 1/2" WOF


Cut (2) 6" x 50 1/2" along selvage edge

BLOCK CONSTRUCTION:


1. Draw a diagonal line on the back of the **E816-22P** 2 3/8" squares. Place right sides together on the **E883-19S** 2 3/8" squares. Sew 1/4" from line on both sides. Press to light. Make 12 HST.




2. Make a four-patch with the following 2" squares and HST from step 1. Make 12.



3. Draw a diagonal line on the back of the **E883-19S** 2" squares. Make 12 flying geese units with the **E885-33P** - 3 1/2" x 2" rectangles and the marked 2" squares. Place a 2" square right sides together on one end of the 3 1/2" x 2" rectangle with diagonal pointing to center. Sew on diagonal line. Press triangles out and trim off remainder to 1/4". Repeat on other side.




4. Draw a diagonal line on the back of the **E885-33P** 2" squares. Make 12 flying geese units with the **E885-16P** 3 1/2" x 2" rectangles and the marked 2" squares following the directions in step 3.




5. Make HRT units with the following pairs of template C triangles. You will have a left HRT unit and a right HRT unit. Make sure you place the correct sections together. When piecing, they will not overlap each other as half square triangles do. (see illust.)

Match trimmed edges of triangle points together.



6. With template A and B make 3 of the following

center sections. Sew in halves, pressing seams clockwise. Sew halves together, splitting seam in center and press clockwise.



7. Sew a left HRT #1 to left HRT #2 with #1 on top and rotated. Make 12. Press to #1.



Unit 2

8. Sew a right HRT #1 to a right HRT #2 with #1 on top and rotated. Make 12. Press to #1.



Unit 3

9. Sew FGU #1 to FGU #2 with #1 on top. Make 12. Press to #2.



Unit 4

10. Sew Unit 2, Unit 3, and Unit 4 together to create Unit 5. Make 12. Press half to FGU and half to HRT.




Unit 5


11. Sew Unit 1 to each end of the 6 Unit 5 with the seams pressed towards the FGU making sure the HST are pointing in. Press to unit 1.




12. Sew the remaining Unit 5 to opposite sides of center unit. Press to center unit.



13. Sew remaining unit 1/unit 5 sections to the top and bottom. Press to center.



14. Sew the 3 blocks together, rotating the blocks so that the seams go in opposite directions.



BORDERS

15. Sew 1 1/2 **E884-33P** 1 1/2" strips together with diagonal seams. Make 2. Trim to 45 1/2". Match centers, pin and sew to sides of quilt. Press to borders.

16. Trim remaining **E884-33P** 1 1/2" strip to (2) 17 1/2" widths. Sew to top and bottom. Press to borders.

17. Sew 1 1/2 **E882-19P** 2" strips together along short edges. Make 2. Trim to 47 1/2". Match centers, pin, and sew to sides. Press to border 2.


18. Trim remaining **E882-19P** 2" strip to (2) 20 1/2" widths. Sew to top and bottom. Press to border 2.

19. Sew the 5 1/2" x 50 1/2" **E881-19P** strips to the sides of the quilt.

10. Sew the **E881-19P** 5 1/2" x 30 1/2" strips to the top and bottom. Trim triangles off each corner.

Cut the backing and batting 2" larger than quilt top.

Center top on batting and back so that there is 1" around entire edge of quilt and quilt as desired. Leave 1/2" from edge unquilted.




There are 2 ways to finish the quilt.

1. Trim all layers to be even with quilt top. Then fold top and backing out of the way and trim 1/4" off batting along each edge. Fold top over batting 1/4" and fold backing under 1/4" (touching top) press, pin layers, and stitch through all layers close to folded edge with a long stitch.

2. Fold backing out of the way and trim top and batting to be even. Trim backing to 1/2" larger than quilt top around the quilt. Fold the back 1/4" to front and then 1/4" again and stitch to top close to folded edge. You can then stitch in the ditch next to the binding edge. This looks like you put a binding on the quilt!

Place label on back and ENJOY!



Be sure to set page scaling to "none" before printing templates.

